

## Appendix B

# Major Disturbances and Unusual Occurrences

**Table B.1. Major Disturbances and Unusual Occurrences, Year-to-Date through December 2005**

| Date            | Utility/Power Pool<br>(NERC Region)                                     | Time       | Area Affected  | Type of<br>Disturbance           | Loss<br>(megawatts) | Number of<br>Customers<br>Affected <sup>1</sup> | Restoration<br>Date/Time |
|-----------------|---|------------|--|----------------------------------|---------------------|---|--------------------------|
| <b>January</b>  |   |            |  |                                  |                     |   |                          |
| 1/04/05         | Westar Energy (SPP)   | 6:00 p.m.  | Eastern one third of the state of Kansas                   | Winter Storm                     | 200                 | 211,000   | 1/14/05, 12:00 p.m.      |
| 1/05/05         | Ohio Edison/First Energy (ECAR)   | 4:00 p.m.  | Akron and Mansfield areas                                  | Ice Storm                        | 250                 | 246,990   | 1/13/05, 6:00 p.m.       |
| 1/05/05         | American Electric Power (ECAR)  | 9:10 p.m.  | Indiana Michigan Region - Muncie District                  | Winter Ice Storm                 | 545                 | 114,791   | 1/16/05, 11:00 a.m.      |
| 1/07/05         | Pacific Gas and Electric Company (WECC)                                 | 1:00 p.m.  | Northern California  | Winter Storm                     | 120                 | 442,000   | 1/10/05, 8:00 a.m.       |
| 1/19/05         | Puerto Rico Electric Power Authority (PR)                               | 9:17 a.m.  | Island of Puerto Rico                                      | Voltage Reduction                | 209                 | N/A   | 1/19/05, 9:27 a.m.       |
| 1/23/05         | Puerto Rico Electric Power Authority (PR)                               | 10:42 a.m. | Island of Puerto Rico                                      | Voltage Reduction                | 140                 | N/A   | 1/23/05, 11:24 a.m.      |
| 1/24/05         | Puerto Rico Electric Power Authority (PR)                               | 6:38 a.m.  | Island of Puerto Rico                                      | Voltage Reduction/Shed Load      | 225                 | 70,717  | 1/24/05, 6:50 a.m.       |
| 1/24/05         | Puerto Rico Electric Power Authority (PR)                               | 12:27 p.m. | Island of Puerto Rico                                      | Voltage Reduction/Shed Load      | 385                 | N/A   | 1/24/05, 12:34 p.m.      |
| 1/29/05         | Southern Company (SERC)   | 10:00 a.m. | Parts of Alabama and Georgia                               | Ice Storm                        | 100                 | 150,000   | 1/31/05, 10:00 a.m.      |
| 1/29/05         | Georgia System Operations Corporation (GSOC) (SERC)                     | 4:00 p.m.  | Georgia  | Ice Storm                        | 65 to 100           | 82,000  | 1/30/05, 3:00 p.m.       |
| <b>February</b> |   |            |  |                                  |                     |   |                          |
| 2/01/05         | Puerto Rico Electric Power Authority (PR)                               | 5:78 p.m.  | Island of Puerto Rico                                      | Voltage Reduction                | 460                 | N/A   | 2/01/05, 6:01 p.m.       |
| 2/15/05         | Puerto Rico Electric Power Authority (PR)                               | 1:12 p.m.  | Island of Puerto Rico                                      | Generator Loss                   | 380                 | N/A   | 2/15/05 1:30 p.m.        |
| 2/16/05         | Puerto Rico Electric Power Authority (PR)                               | 1:26 p.m.  | Island of Puerto Rico                                      | Load Shedding                    | 325                 | 139,438   | 2/16/05, 1:43 p.m.       |
| 2/18/05         | Puerto Rico Electric Power Authority (PR)                               | 8:16 a.m.  | Island of Puerto Rico                                      | Generator Loss/Voltage Reduction | 648                 | 372,288   | 2/18/05, 8:41 a.m.       |
| 2/24/05         | Puerto Rico Electric Power Authority (PR)                               | 12:58 a.m. | Island of Puerto Rico                                      | Voltage Reduction                | 200                 | N/A   | 2/24/05, 1:05 a.m.       |
| <b>March</b>    |   |            |  |                                  |                     |   |                          |
| 3/08/05         | Progress Energy - Carolinas (SERC)                                      | 11:00 a.m. | Eastern and Central North Carolina                         | Wind Storms                      | 180                 | 51,600  | 3/08/05, 3:00 p.m.       |
| <b>April</b>    |   |            |  |                                  |                     |   |                          |
| 4/01/05         | Cleveland Electric Illuminating Company/First Energy Corporation (ECAR) | Midnight   | Cleveland, Ohio and northeast Ohio                         | Winter Storm                     | N/A                 | 211,000   | 4/06/05, 12:00 p.m.      |
| 4/22/05         | Crockett Cogeneration (WECC)  | 3:51 p.m.  | San Francisco Bay area, California                         | Lightning Strike                 | 126                 | PG&E  | 4/22/05, 3:59 p.m.       |
| 4/23/05         | Puerto Rico Electric Power Authority (PR)                               | 4:22 a.m.  | Island of Puerto Rico                                      | Voltage Reduction                | 345                 | 116,552   | 4/23/05, 4:48 a.m.       |
| 4/23/05         | Cleveland Electric Illuminating Company/First Energy Corporation (ECAR) | 6:00 a.m.  | Cleveland, Ohio and northeast Ohio                         | Winter Storm                     | N/A                 | 150,000   | 4/27/05, 6:00 a.m.       |
| 4/30/05         | Southern Company (SERC)   | 8:00 a.m.  | Alabama and Georgia  | Thunderstorms                    | 100                 | 51,808  | 4/30/05, 10:00 a.m.      |
| <b>May</b>      |   |            |  |                                  |                     |   |                          |
| 5/08/05         | CenterPoint Energy Houston Electric (ERCOT)                             | 3:00 p.m.  | Houston, Texas and surrounding suburban areas              | Strong Thunderstorms             | 672                 | 243,000   | 5/08/05, 10:00 p.m.      |
| 5/11/05         | Puerto Rico Electric Power Authority (PR)                               | 7:00 p.m.  | Island of Puerto Rico                                      | Voltage Reduction                | 529                 | N/A   | 5/11/05, 8:31 p.m.       |
| 5/29/05         | CenterPoint Energy Houston Electric (ERCOT)                             | 8:00 p.m.  | Houston, Texas and surrounding suburban areas              | Strong Thunderstorms             | 328                 | 123,000   | 5/30/05, 2:30 a.m.       |
| <b>June</b>     |   |            |  |                                  |                     |   |                          |
| 6/05/05         | DTE Energy (ECAR)   | 2:00 p.m.  | Southeast Michigan   | Strong Thunderstorm/High Winds   | 1,826               | 201,580   | 6/10/05, 7:30 a.m.       |
| 6/05/05         | Consumers Energy (ECAR)   | 2:00 p.m.  | Portions of the southern 2/3 of Michigan's Lower Peninsula | Strong Thunderstorm              | 50-60               | 105,000   | 6/07/05, 6:00 p.m.       |
| 6/06/05         | New York State Electric and Gas (NPCC)                                  | 12:00 p.m. | Central/Eastern New York state                             | Strong Thunderstorms             | N/A                 | 65,000  | 6/08/05, 6:00 p.m.       |

**Table B.1. Major Disturbances and Unusual Occurrences, Year-to-Date through December 2005  
(Continued)**

| Date          | Utility/Power Pool<br>(NERC Region)                   | Time       | Area Affected  | Type of<br>Disturbance   | Loss<br>(megawatts) | Number of<br>Customers<br>Affected <sup>1</sup> | Restoration<br>Date/Time |
|---------------|---|------------|--|--|---------------------|---|--------------------------|
| 6/06/05       | PECO Energy (MAAC)                                    | 4:43 p.m.  | Bucks, Montgomery,<br>Delaware, Chester,<br>Philadelphia counties,<br>Pennsylvania | Strong<br>Thunderstorm   | N/A                 | 143,000   | 6/07/05, 10:00 p.m.      |
| 6/08/05       | Xcel Energy - Northern States<br>Power (MRO)          | 4:00 a.m.  | Minnesota  | Strong<br>Thunderstorm   | 50-100              | 300,000   | 6/10/05, 10:00 p.m.      |
| 6/20/05       | Puerto Rico Electric Power<br>Authority (PR)          | 11:16 a.m. | Island of Puerto Rico  | Voltage Reduction  | 35                  | 600,000   | 6/20/05, 5:15 pm.        |
| 6/24/05       | Commonwealth Edison<br>Company (MAIN)                 | 8:37 p.m.  | Chicago, Illinois  | Transmission<br>Equipment Failure  | 350                 | 51,500  | 6/24/05, 11:06 p.m.      |
| 6/28/05       | Public Service Company of<br>Colorado (WECC)          | 11:30 a.m. | Denver Metropolitan area of<br>Colorado  | Fuel Supply<br>Deficiency/Coal<br>Rail Transportation<br>Interruption  | 0                   | 0   | Ongoing                  |
| 6/29/05       | DTE Energy (ECAR)                                     | 4:30 p.m.  | Southeast Michigan   | Strong<br>Thunderstorm/High<br>Winds   | 1,000               | 114,711   | 7/04/05, 11:30 p.m.      |
| <b>July</b>   |   |            |  |  |                     |   |                          |
| 7/01/05       | Southwestern Public Service<br>Company (ERCOT)        | N/A        | Texas, New Mexico,<br>Oklahoma, Kansas   | Fuel Supply -<br>Deficiency Coal<br>Rail Transportation<br>Interruption                                      | 0                   | 0   | Ongoing                  |
| 7/02/05       | Puerto Rico Electric Power<br>Authority (PR)          | 1:27 a.m.  | Island of Puerto Rico  | Load Shedding  | 226                 | 132,290   | 7/02/05, 1:46 a.m.       |
| 7/05/05       | Entergy Corporation (SPP)                             | 9:00 p.m.  | Southeast and Northeast,<br>Louisiana including the New<br>Orleans area            | Tropical Storm<br>Cindy  | unknown             | 287,000   | 7/06/05, 9:00 a.m.       |
| 7/10/05       | Southern Company (SERC)                               | 8:00 a.m.  | Alabama, Mississippi,<br>Florida, Georgia  | Hurricane Dennis   | 45                  | 228,102   | 7/12/05, 8:00 a.m.       |
| 7/10/05       | Alabama Electric Coop Inc.<br>(SERC)                  | 12:53 p.m. | Southwest Alabama and<br>Western Panhandle of Florida                              | Hurricane Dennis   | 51.2                | 50,000  | 7/11/05, 5:33 pm.        |
| 7/21/05       | Southern California Edison<br>Company (WECC)          | 2:39 p.m.  | Southern California  | CA ISO Stage 2 -<br>Initiated interruption<br>of Air Conditioner<br>Cycling<br>Interruptible Load<br>Program | 197                 | 128,050   | 7/21/05, 5:30 p.m.       |
| 7/22/05       | Southern California Edison<br>Company (WECC)          | 1:55 p.m.  | Southern California  | CA ISO Stage 2 -<br>Initiated interruption<br>of Air Conditioner<br>Cycling<br>Interruptible Load<br>Program | 206                 | 133,900   | 7/22/05, 6:00 p.m.       |
| 7/23/05       | Potomac Electric Power<br>Company (Pepco) (MAAC)      | 1:02 a.m.  | Washington, DC,<br>Montgomery and Prince<br>Georges Counties, Maryland             | Severe<br>Thunderstorms  | N/A                 | 55,118  | 7/26/05, 10:50 a.m.      |
| 7/27/05       | PECO Energy (MAAC)                                    | 4:50 p.m.  | Bucks, Chester, Delaware,<br>Montgomery and Philadelphia<br>counties, Pennsylvania | Severe<br>Thunderstorms  | N/A                 | 93,837  | 7/28/05, 9:24 p.m.       |
| 7/27/05       | Potomac Electric Power<br>Company (Pepco) (MAAC)      | 5:50 p.m.  | Washington, DC,<br>Montgomery and Prince<br>Georges Counties, Maryland             | Severe<br>Thunderstorm   | N/A                 | 64,943  | 7/30/05, 9:07 p.m.       |
| 7/27/05       | Baltimore Gas and Electric<br>Company (MAAC)          | 6:00 p.m.  | Baltimore County, Anne<br>Arundel County and Prince<br>Georges County, Maryland    | Severe<br>Thunderstorms  | N/A                 | 87,600  | 7/29/05, 4:00 p.m.       |
| 7/28/05       | Duke Energy Company/Duke<br>Power Control Area (SERC) | 8:30 p.m.  | Piedmont North and South<br>Carolina   | Severe<br>Thunderstorm   | 300                 | 52,200  | 8/01/05, 5:00 p.m.       |
| <b>August</b> |   |            |  |  |                     |   |                          |
| 8/01/05       | Puerto Rico Electric Power<br>Authority (PR)          | 10:28 a.m. | Island of Puerto Rico  | Voltage<br>Reduction/Load<br>Shed  | 175                 | 47,116  | 8/01/05, 10:47 a.m.      |
| 8/08/05       | Crockett Cogeneration (WECC)                          | 12:38 p.m. | San Francisco Bay area,<br>California  | Plant Tripped  | 240                 | PG&E  | 8/08/05, 4:00 p.m.       |

**Table B.1. Major Disturbances and Unusual Occurrences, Year-to-Date through December 2005  
(Continued)**

| Date             | Utility/Power Pool<br>(NERC Region)              | Time       | Area Affected   | Type of<br>Disturbance   | Loss<br>(megawatts) | Number of<br>Customers<br>Affected <sup>1</sup> | Restoration<br>Date/Time |
|------------------|--|------------|---|--|---------------------|---|--------------------------|
| 8/19/05          | Puerto Rico Electric Power Authority (PR)        | 7:37 p.m.  | Island of Puerto Rico   | Voltage Reduction/Load Shed  | 259                 | 71,864  | 8/19/05, 8:15 p.m.       |
| 8/20/05          | American Electric Power -AEP West (ECAR)         | 2:15 p.m.  | Northwest Arkansas  | Severe Thunderstorms   | 650                 | 50,797  | 8/20/05, 4:21 p.m.       |
| 8/25/05          | California ISO (WECC)                            | 3:50 p.m.  | Southern California   | CAISO determined there was inadequate electric resources to serve load. Public appeals and a shedding of interruptible and firm load occurred.   | -                   | -   | 8/25/05, 8:00 p.m.       |
| 8/25/05          | Southern California Edison Company (WECC)        | 3:51 p.m.  | Southern California   | CAISO initiated interruption of interruptible and firm load due to declaration of Transmission Emergency in Southern California                  | 864                 | 409,000   | 8/25/05, 8:00 p.m.       |
| 8/29/05          | Louisiana Generating, LLC (SPP)                  | 1:10 a.m.  | East and Southeast Louisiana  | Hurricane Katrina  | 300                 | 143,000   | 8/29/05, 12:42 p.m.      |
| 8/29/05          | Entergy Corporation (SPP)                        | 6:00 a.m.  | Buras, Louisiana  | Hurricane Katrina  | N/A                 | 1.1 million and 100,000 gas customers           | 8/30/05, 6:00 a.m.       |
| 8/29/05          | Progress Energy Florida (FRCC)                   | 7:10 a.m.  | Counties of Alachua, Bay, Citrus, Columbia, Dixie, Franklin, Gilchrist, Gulf, Hamilton, Hardee, Hernando, Highlands, Jefferson, Lafayette, Lake, Levy, Madison, Marion, Orange, Osceola, Pasco, Pinellas, Polk, Seminole, Sumter, Suwannee, Taylor, Volusia and Wakulla | Hurricane Katrina disrupted fuel supply in the Gulf of Mexico. Public appeals for conservation were issued.                                      | 0                   | 0   | 9/07/05, 3:00 p.m.       |
| 8/29/05          | Southern Company (SERC)                          | 7:10 a.m.  | Alabama, Florida, Mississippi   | Hurricane Katrina  | 5,120               | 512,049   | 8/29/05, 10:00 p.m.      |
| 8/29/05          | Tennessee Valley Authority (SERC)                | 3:50 p.m.  | Alabama, Mississippi, Tennessee   | Hurricane Katrina  | 118.5               | 323,529   | 9/10/05, 12:00 p.m.      |
| 8/29/05          | City of Lakeland (FRCC)                          | 5:00 p.m.  | City of Lakeland, Florida   | Hurricane Katrina disrupted normal gas allotment through natural gas pipelines (FGT & Gulf stream). Public appeals for conservation were issued. | 0                   | 0   | 9/08/05, 12:01 a.m.      |
| 8/31/05          | Seminole Electric Cooperative (FRCC)             | 4:00 p.m.  | Member Service Territory is located in the West coast of Florida from Tallahassee to Fort Myers   | Hurricane Katrina disrupted normal gas supplies distribution. Public appeals for conservation were issued.                                       | 0                   | 0   | 9/12/05, 8:00 a.m.       |
| <b>September</b> |  |            |   |  |                     |   |                          |
| 09/12/05         | Los Angeles Department of Water and Power (WECC) | 12:32 p.m. | Los Angeles, California   | Breaker protection cable accidentally cut  | 2,578               | 900,000   | 9/12/05, 1:56 p.m.       |
| 09/13/05         | Puerto Rico Electric Power Authority (PR)        | 2:14 p.m.  | Island of Puerto Rico   | Voltage Reduction/Load Shed  | 249                 | 66,480  | 9/13/05, 2:29 p.m.       |
| 09/13/05         | We Energies (MAIN)                               | 6:30 p.m.  | Southeast Wisconsin and Fox Valley  | Severe Storm   | 600                 | 110,000   | 9/16/05, 8:00 p.m.       |
| 09/14/05         | Progress Energy - Carolinas (SERC)               | 3:00 p.m.  | Eastern North Carolina  | Hurricane Ophelia  | 215                 | 60,000  | 9/15/05, 3:00 p.m.       |
| 09/21/05         | Xcel Energy - Northern States Power (MRO)        | 7:00 p.m.  | Minnesota   | High Winds/Tornados  | N/A                 | 200,000   | 9/27/05, 11:00 p.m.      |
| 09/22/05         | DTE Energy (ECAR)                                | 11:00 a.m. | Southeast Michigan  | Severe Thunderstorm  | 366                 | 53,000  | 9/26/05, 11:30 p.m.      |

**Table B.1. Major Disturbances and Unusual Occurrences, Year-to-Date through December 2005  
(Continued)**

| Date            | Utility/Power Pool<br>(NERC Region)         | Time       | Area Affected   | Type of<br>Disturbance  | Loss<br>(megawatts) | Number of<br>Customers<br>Affected <sup>1</sup> | Restoration<br>Date/Time |
|-----------------|---|------------|---|---|---------------------|---|--------------------------|
| 09/22/05        | Progress Energy Florida (FRCC)              | 12:00 p.m. | Counties of Alachua, Bay, Citrus, Columbia, Dixie, Franklin, Gilchrist, Gulf, Hamilton, Hardee, Hernando, Highlands, Jefferson, Lafayette, Lake, Levy, Madison, Marion, Orange, Osceola, Pasco, Pinellas, Polk, Seminole, Sumter, Suwannee, Taylor, Volusia and Wakulla | Hurricane Rita disrupted fuel supply in the Gulf of Mexico. Public Appeals for conservation were issued.                                      | 0                   | 0   | 9/29/05, 12:00 p.m.      |
| 09/23/05        | City of Lakeland (FRCC)                     | 7:00 a.m.  | Lakeland, Florida   | Hurricane Rita disrupted normal gas allotment through natural gas pipelines (FGT & Gulf stream). Public Appeals for conservation were issued. | 0                   | 0   | 9/28/05, 11:29 a.m.      |
| 09/23/05        | Louisiana Generating, LLC (SPP)             | 1:06 p.m.  | West and Southwest Louisiana  | Hurricane Rita  | 350                 | 125,000   | 10/06/05, 2:30 p.m.      |
| 09/23/05        | CenterPoint Energy Houston Electric (ERCOT) | 5:00 p.m.  | Houston, Texas and the surrounding suburban areas   | Hurricane Rita  | 1,950               | 715,000   | 9/24/05, 8:00 p.m.       |
| 09/23/05        | Entergy Corporation (SPP)                   | 9:00 p.m.  | Texas, Louisiana, Arkansas, and Mississippi   | Hurricane Rita  | N/A                 | 766,000   | 9/25/05, 7:30 a.m.       |
| 09/24/05        | TXU Electric Delivery Company (ERCOT)       | 6:00 a.m.  | Nacogdoches, Lufkin, Tyler, Jacksonville, Rusk, Paris, Commerce, Huntington   | Hurricane Rita  | 260                 | 200,000   | 10/02/05, 5:00 p.m.      |
| 09/24/05        | American Electric Power - CSWS (ECAR)       | 10:00 a.m. | Shreveport, Louisiana   | Hurricane Rita  | 700                 | 190,000   | 9/28/05, 6:00 p.m.       |
| <b>October</b>  |   |            |   |   |                     |   |                          |
| 10/02/05        | Puerto Rico Electric Power Authority (PR)   | 5:40 p.m.  | Island of Puerto Rico   | Voltage Reduction/Load Shed   | 312                 | 71,240  | 10/02/05, 5:54 p.m.      |
| 10/18/05        | Puerto Rico Electric Power Authority (PR)   | 3:19 p.m.  | Island of Puerto Rico   | Voltage Reduction/Load Shed   | 460                 | 142,591   | 10/18/05, 3: 37 p.m.     |
| 10/22/05        | Puerto Rico Electric Power Authority (PR)   | 9:44 a.m.  | Island of Puerto Rico   | Voltage Reduction/Load Shed   | 360                 | 85,682  | 10/22/05, 11:40 a.m.     |
| 10/23/05        | Florida Power and Light (FRCC)              | 8:00 p.m.  | South Florida, Naples, Ft. Myers, Miami, Ft. Lauderdale, West Palm Beach and Martin county  | Hurricane Wilma   | 10,000              | 3,241,437                                       | 10/24/05, 2:00 p.m.      |
| 10/24/05        | Seminole Electric Cooperative (FRCC)        | 4:00 a.m.  | Florida counties of Collier, Charlotte and Lee  | Hurricane Wilma   | 280                 | 105,000   | 10/24/05, 4:00 p.m.      |
| 10/24/05        | Florida Municipal Power Agency (FRCC)       | 7:00 a.m.  | South Florida - Cities of Key West, Clewiston, Lake Worth, and Ft. Pierce   | Hurricane Wilma   | 148                 | 84,900  | 11/10/05, 12:00 a.m.     |
| 10/24/05        | Allegheny Power (MAAC)                      | 8:00 p.m.  | Maryland, North Central West Virginia, Southwestern Pennsylvania, and Northern Pennsylvania   | Hurricane Wilma   | 400                 | 303,795   | 11/02/05, 4:30 p.m.      |
| <b>November</b> |   |            |   |   |                     |   |                          |
| 11/03/05        | Crockett Cogeneration (WECC)                | 6:47 p.m.  | San Francisco Bay area, California  | Plant Tripped   | 136                 | --  | 11/03/05, 7:00 p.m.      |
| 11/06/05        | DTE Energy (ECAR)                           | 7:30 a.m.  | Southeast Michigan  | Severe Thunderstorm   | 212                 | 118,000   | 11/11/05, 11:30 p.m.     |
| 11/12/05        | We Energies (MAIN)                          | 4:00 p.m.  | Southeast Wisconsin   | Severe Thunderstorms  | 10                  | 48,000  | 11/14/05, 6:00 p.m.      |
| 11/12/05        | Consumers Energy (ECAR)                     | 11:00 p.m. | Western and Central portions of Michigan's Lower Peninsula  | Severe Thunderstorm   | 408                 | 272,355   | 11/14/05, 11:59 p.m.     |

**Table B.1. Major Disturbances and Unusual Occurrences, Year-to-Date through December 2005  
(Continued)**

| Date            | Utility/Power Pool<br>(NERC Region)                   | Time      | Area Affected                                 | Type of<br>Disturbance | Loss<br>(megawatts) | Number of<br>Customers<br>Affected <sup>1</sup> | Restoration<br>Date/Time |
|-----------------|---|-----------|---|------------------------|---------------------|---|--------------------------|
| <b>December</b> |   |           |   |                        |                     |   |                          |
| 12/15/05        | Duke Energy Company/Duke<br>Power Control Area (SERC) | 4:00 a.m. | Piedmont North Carolina and<br>South Carolina | Ice Storm              | 3,500               | 683,000   | 12/21/05, 5:00 p.m.      |
| 12/15/05        | Southern Company (SERC)                               | 5:05 a.m. | Northeast Georgia                             | Ice Storm              | 75                  | 52,659  | 12/16/05, 12:10 p.m.     |
| 12/31/05        | Pacific Gas and Electric<br>(WECC)                    | 6:00 a.m. | Northern and Central<br>California            | Severe Storms          | 800                 | 1,667,316                                       | 01/05/06, 9:00 a.m.      |

<sup>1</sup> = Estimated Values.

Note: North American Electric Reliability Council region acronyms are defined in the glossary.

Source: Form EIA-417, "Electric Emergency Incident and Disturbance Report."